


HOW TO INSTALL YOUR FRIDGE OR FREEZER SEAL


Fridge Seals
Direct [.co.uk](http://fridge-seals-direct.co.uk)




STEP 1 Remove seal from box



STEP 2 Lay onto a clean flat surface




STEP 3 Wrinkles and creases can be removed gently by warming the seal under hot water or with a hair dryer as shown




**DART/PUSH TO
DART/PUSH IN
TYPE REMOVAL**

Gently remove old seal from door or drawer
by pulling from corner of the seal



**FLAT/LIP REMOVAL
TO FLAP/LIP TYPE
REMOVAL**

Unscrew the seal plate and remove the seal from
the door, keep the screws and plate in safe place



Be careful with bottom screws in the door plate, they
are often rusty and may require close attention.

If the plate is riveted, then simply drill rivets out.



Clean door/drawer and the cabinet face with an
approved disinfectant. Leave for 30 secs and wipe dry


DART /PUSH IN TYPE INSTALLATION

INSTALLATION - Hold seal by its corners to keep seal from tearing or magnet breaking. Press the seal firmly into the track/grooves to secure the arrowhead/dart



TIPS Press in the corners first and work your way towards the middle of the door. There may be sagging with longer seals but don't worry as this will correct itself. Run thumb along the edge of the seal to make sure arrowhead/dart is secure





FLAP/LIP TYPE SEAL INSTALLATION

Place the flap of the seal behind the securing plate .

Offer up the seal plate and new seal and screw back onto the door,

Test seal is secure by running thumb along edge of the seal.

TOP TIPS

- For Best Results align the plate and new seal with a screw each side of the door first
- Be careful, the plate can have sharp edges
- Don't reuse the old/rusty screws

COMMON PROBLEMS IF SEAL DOESN'T FIT OR DOOR DOESN'T CLOSE




Check if correct profile and measurements were ordered and the correct seals were provided



Check door is not crooked or bent



Cabinet may contain a counter force magnet behind the face (identify by a light grey plastic strip on face of cabinet)



Is the seal catching on the hinge side?
Check hinges are aligned

WE HOPE THAT HELPED!

Why not download one of our other guides below or to find out more visit our website at fridesealsdirect.co.uk

📁 HOW TO IDENTIFY YOUR FRIDGE OR FREEZER SEAL

📁 HOW TO MEASURE YOUR FRIDGE OR FREEZER SEAL

📁 HOW TO MAINTAIN YOUR FRIDGE OR FREEZER SEAL

**Fridge Seals
Direct** [.co.uk](http://fridesealsdirect.co.uk)

